

Message

From: Lytle, Darren [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=FDDE061DAB3E4DA78AACEE87490F09B9-LYTLE, DARREN]
Sent: 11/8/2021 6:25:40 PM
To: Palnau, Judy (EGLE) [palnauj@michigan.gov]
Subject: RE: Information for Michigan Department of Environment, Great Lakes, and Energy

Hello Judy,

You can use Environmental Engineer. Let me know if you need anything else. Darren

Darren A. Lytle, Ph.D., P.E.
U.S. Environmental Protection Agency
Drinking Water Management Branch
CESER Water Infrastructure Division
26 West Martin Luther King Dr.
Cincinnati, Ohio 45268
Phone: (513) 569-7432
Cell Phone: Ex. 6 Personal Privacy (PP)
Fax: (513) 487-2543
email: lytle.darren@epa.gov

From: Palnau, Judy (EGLE) <palnauj@michigan.gov>
Sent: Monday, November 8, 2021 1:19 PM
To: Lytle, Darren <Lytle.Darren@epa.gov>
Subject: Information for Michigan Department of Environment, Great Lakes, and Energy

Darren,

I have been asked to get your job title for the corrosion panel announcement. Could you please provide it? Thanks!

Judy Palnau
Strategic Communications
Michigan Department of Environment, Great Lakes, and Energy
517-242-9809 | PalnauJ@Michigan.gov
[Follow Us](#) | Michigan.gov/EGLE